



# superwide CONSIDER

Digital Output considers devices over 95 inches in width grand format.

**OKI**

Optimum Performance. Superior Quality. Industrial Strength.

104" ColorPainter Printer

High-speed productivity with low-odor SX Ink in 8-color configuration.

**ColorPainter**

www.okidata.com/wide-format

INFO #14

**Mimaki**

The dual roll, super wide sign monster

**mimakiusa.com/UJV55-320**

INFO #13

INFO#	Company/Website	Product Name	Ink Type	Ink Channels	Resolution (dpi)	Maximum Speed (sf/h)		Maximum Width		
						Production	Quality	Inches	Meters	Pricing
111	Agfa Graphics agfagraphics.us	Anapurna M2500i	UV-Curable	6+W	720x1,440	1,238	215	98	2.5	CM
		Anapurna M2540i FB	UV-Curable	6+W	540x1,080	1,001	194	100	2.54	CM
		Anapurna M3200i RTR	UV-Curable	4, 6, or 4+W	720x1,440	1,324	247	126	3.2	CM
		Jeti Titan S	UV-Curable	6+W	720x1,200	1,722	908	124	3.2	CM
		Jeti Titan HS	UV-Curable	6+W	720x1,200	1,722	908	124	3.2	CM
		Jeti Mira MG2716 S	UV-Curable	6+W	720x1,200	1,216	161	106	2.69	CM
		Jeti Mira MG2732 S	UV-Curable	6+W	720x1,200	1,216	172	106	2.69	CM
		Jeti Mira MG2716 HS	UV-Curable	6+W	720x1,200	2,486	323	106	2.69	CM
		Jeti Mira MG2732 HS	UV-Curable	6+W	720x1,200	2,486	323	106	2.69	CM
		Jeti Tauro HZ500	UV-Curable	6, 6+4W, 6+8W, or 6+W, P	720x1,200	2,960	667	100	2.54	CM
		Anapurna HZ500i LED	UV LED Curable	6+W	720x1,440	1,238	183	98	2.5	CM
Anapurna FB2540i LED	UV LED Curable	6+W	540x1,080	1,034	161	100	2.54	CM		
Anapurna H3200i LED	UV LED Curable	6+W	720x1,440	1,388	205	126	3.2	CM		
Anapurna RTR3200i LED	UV LED Curable	4+W or 6	720x1,440	1,367	194	126	3.2	CM		
112	Ampla Digital ampladigital.com	Targa XT	Solvent	4	1,200	3,443	CM	126	3.2	CM
		Targa XT Hybrid LED UV	UV-Curable	4	1,200	1,076	CM	126	3.2	CM
		Elite 3204	Solvent	4	1,200	861	CM	126	3.2	CM
		Elite RR Led UV	UV-Curable	4	1,200	430	CM	126	3.2	CM
		Targa UV Flatbed	UV-Curable	4	1,200	764	CM	96x48	2.44x1.22	CM
113	Canon U.S.A., Inc. usa.canon.com	Océ Arizona 318 GL	UV-Curable	4+W	1,440	131	90	98.4	2.5	CM
		Océ Arizona 365 GT	UV-Curable	5	1,440	239	165	98.4	2.5	CM
		Océ Arizona 6160 XTS	UV-Curable	6	1,400	1,076	775	98.4	2.5	CM
		Océ Arizona 6170 XTS	UV-Curable	7	1,400	1,076	775	98.4	2.5	CM
		Océ Arizona 1240 GT	UV-Curable	4	1,400	362	153	98.4	2.5	CM
		Océ Arizona 1240 XT	UV-Curable	4	1,400	377	157	98.4	2.5	CM
		Océ Arizona 1260 GT	UV-Curable	6	1,400	362	153	98.4	2.5	CM
		Océ Arizona 1260 XT	UV-Curable	6	1,400	377	157	98.4	2.5	CM
		Océ Arizona 1280 GT	UV-Curable	8	1,400	362	153	98.4	2.5	CM
		Océ Arizona 1280 XT	UV-Curable	8	1,400	377	157	98.4	2.5	CM
		Océ Arizona 2260 GT	UV-Curable	6	1,400	395	280	98.4	2.5	CM
Océ Arizona 2260 XT	UV-Curable	6	1,400	427	297	98.4	2.5	CM		
Océ Arizona 2280 GT	UV-Curable	8	1,400	395	280	98.4	2.5	CM		
Océ Arizona 2280 XT	UV-Curable	8	1,400	427	297	98.4	2.5	CM		
114	CET Color cetcolor.com	Q5-Series 500	UV-Curable	4+W	1,200x1,200	960	249	48x96	CM	CM
		Q5-Series 500h	UV-Curable	4+W	1,200x1,200	960	249	98	2.5	CM
		Q5-Series 1000	UV-Curable	4+W	1,200x1,200	1,152	336	60x120	CM	CM
		Q5-Series 1000h	UV-Curable	4+W	1,200x1,200	1,152	336	126	3.2	CM
		K2-series 250	UV-Curable	4+W	1,200x1,200	CM	CM	CM	CM	CM
115	d.gen International dgen.com	Teleios Grande H6	DS, PIG, REA	6	2,400	1,520	790	130	3.3	CM
		Teleios Grande G5	DS, PIG, REA	4 or 8	2,400	3,200	1,200	130	3.3	CM
		Teleios/XL2600G5	DS, PIG, REA	4 or 8	2,400	2,880	1,000	105	2.6	CM
116	DGI dgi-net.com	VE-3204D	LS	4	1,440	484	CM	126	3.2	CM
		FTII-3204D	DS	4	1,440	1,292	323	126	3.2	CM
117	Digitex Printing Technologies Co. Ltd. gunsjet.com	R4-SR/WR3312	Solvent, PIG, DS	CM	1,200x600	1,033	720	130	3.3	CM
		R4-SR/WR3308	Solvent, PIG, DS	CM	1,200x600	688	480	130	3.3	CM
		R4-SR/WR2608	Solvent, PIG, DS	CM	1,200x600	688	480	102	2.5	CM
		ESA-SR/WR3202	ES, SUB, WB	CM	1,440	580	320	126	3.2	CM
		ESA-DS 3202	SUB	4	1,440	580	320	126	3.2	CM
		GH-SR/WR3208	ES, SUB, WB	CM	720x1,200	969	720	126	3.2	CM
118	Dilli Co. dilli.co.kr	GH-DS3208	SUB	CM	720x1,200	969	720	126	3.2	CM
		G5-UV2513	UV LED Curable	CM	720x1,200	299	1,200	98	2.5	CM
		Neo Titan 1600	UV-Curable	6+W, C	720x1,440	360	CM	98	2.5	CM
		Neo Titan 2500	UV-Curable	6+W, C	720x1,440	360	CM	98	2.5	CM
		Rho 1012	UV-Curable	8	1,000	5,300	4,090	98	2.5	CM
119	Durst Image Technology US LLC durstus.com	Rho 1030	UV-Curable	8	600	10,700	7,500	98	2.5	CM
		Rho 1312	UV-Curable	8	1,000	6,600	5,100	98	2.5	CM
		Rho 1330	UV-Curable	8	600	13,400	9,400	98	2.5	CM
		Rho 512R	UV-Curable	8	1,000	3,765	1,970	196	5	CM
		Rho 312R	UV-Curable	8	1,000	2,950	1,370	126	3.2	CM

# R A T I O N S



INFO#	Company/Website	Product Name	Ink Type	Ink Channels	Resolution (dpi)	Maximum Speed (sf/h)		Maximum Width		Pricing		
						Production	Quality	Inches	Meters			
119	Durst Image Technology US LLC, cont. durstus.com	Rho P10 250	UV-Curable	8	1,000	2,500	700	98	2.5	CM		
		Rho P10 250 HS	UV-Curable	8	1,000	4,200	1,500	98	2.5	CM		
		Rhotex 322	WB DIS Dye	8	1,200	1,500	1,070	126	3.2	CM		
		Rhotex HS	WB DIS Dye	7	1,200	4,950	3,300	130	3.3	CM		
		Rhotex 500	WB DIS Dye	8	600	3,330	1,075	196	5	CM		
		Rhotex 325	WB DIS Dye	8	800	2,580	1,800	126	3.2	CM		
120	EFI efi.com	Quantum	UV	7+W	1,200	2,687	2,687	120/196	3/5	CM		
		Quantum LX	UV LED	8	1,200	CM	CM	120/195	3/5	CM		
		Reggiani PRO 340	AQ DIS Dye	4	2,400	8,600	CM	133	3.4	CM		
		VUTEK G53250	UV-Curable	8+W	1,000	2,400	600	126.6	3.2	CM		
		VUTEK G53250LX	UV LED	4+W or 8+W	1,000	2,400	1,200	126.5	3.2	CM		
		VUTEK G53250LXr	UV LED	6	1,000	1,200	600	126.5	3.2	CM		
		VUTEK G53250r	UV-Curable	6	1,000	2,400	1,200	126.5	3.2	CM		
		VUTEK G55000r	UV-Curable	4, 8, or 8+W	1,000	3,100	1,550	196.8	5	CM		
		VUTEK G55250LXr Pro	UV LED	8+W	1,000	2,800	700	204	5.1	CM		
		VUTEK G55500LXr Pro	UV LED	8 or 8+W	1,000	2,800	600	196.8	5	CM		
		VUTEK HS100 Pro	UV-Curable	8	1,000	3,600	600	126.6	3.2	CM		
		VUTEK HS125 Pro	UV-Curable	4	600	4,500	750	126.5	3.2	CM		
121	Electronic Sign Supply Corp. electrosignsupply.com	K-320S	Solvent	8	720x1,400	236	129	120	3	CM		
		E-320SW	ES, DIS, WB	4	CM	592	291	126	3.2	CM		
		Q-320S	Solvent, ES, SUB	7	720x1,440	1,830	646	120	3	CM		
		UV+ 320H Series X	UV	4, 8, or 16	CM	969	538	126	3.2	CM		
		MUV-320 R2R	UV	7	CM	969	538	120	3	CM		
		QU-Jet	UV LED	4 or 6	720x1,440	2,047	1,339	126	3.2	CM		
		T-320W	SUB, DIS, PIG	4, 6, or 8	1,080	CM	CM	126	3.2	CM		
		E-320SW	ES, DIS, WB	4	CM	592	291	126	3.2	CM		
		122	Fujifilm NA Corp., Graphic Systems Div. fujifilminkjet.com	Acuity Select	UV-Curable	4, 6, or 8	1,200	219	151	98.4	2.5	CM
				Acuity Select HS	UV-Curable	4 or 6	1,200	404	285	98.4	2.5	CM
Acuity Select HS-X2	UV-Curable			4 or 6	1,200	431	302	98.4	2.5	CM		
Acuity Select X2	UV-Curable			4, 6, or 8	1,200	226	155	98.4	2.5	CM		
Acuity F	UV-Curable			6 or 7	1,200	1,076	775	98.4	2.5	CM		
Acuity F	UV-Curable			6 or 7	1,060x900	1,076	775	98.4	2.5	CM		
Inca Onset Q40i	UV-Curable			4, 6, or 8	1,060x900	3,283	3,229	123	3.1	CM		
Inca Onset R40i	UV-Curable			4, 6, or 8	1,060x900	4,304	3,336	123	3.1	CM		
Inca Onset R40-LT	UV-Curable			4, 5, 6, or 7	1,060x900	3,014	3,014	123	3.1	CM		
Inca Onset R50i	UV-Curable			8	1,060x900	6,458	5,167	123	3.1	CM		
Inca Onset S40i	UV-Curable			4, 6, or 8	600	3,436	3,000	123	3.1	CM		
Inca Onset S50i	UV-Curable			8	600	7,801	6,961	123	3.1	CM		
Uvistar 2	UV-Curable			4	600	3,040	1,041	209	5.3	CM		
Uvistar 2	UV-Curable			4	600	2,394	891	150	3.8	CM		
123	Gandy Digital gandydigital.com	Pred8tor	UV	4+W, 6+W, or 8	900x720	1,410	480	96	2.5	\$275,000		
		Domin8tor	UV	4+W, 6+W, or 8	900x720	1,650	576	120	3	\$325,000		
		Softjet4 - 3312	WB	4 or 6	900x600	800	430	130	3.3	\$225,000		
		Softjet4 - 3308	WB	4 or 6	900x600	650	300	102	2.6	\$125,000		
		Fascin8tor	UV	4+W, 6+W, or 8	900x720	2,500	1,250	197	5	\$325,000		
		Termin8tor	ES and MS	4	600x1,200	2,200	700	126	3.2	\$125,000		
		124	Hollanders Printing Systems hollanders-ps.nl	ColorBooster 250	WB: DIS, SUB	8	900	1,290	690	99	2.52	CM
				ColorBooster 320	WB: DIS, SUB	8	900	1,290	775	127	3.22	CM
				ColorBooster DS 320	WB: DIS, SUB	CM	720	860	860	126	3.17	CM
		125	HP Inc. hp.com/go/graphicarts	Latex 1500 Printer*	Latex	6+0	1,200x1,200	800	N/A	126	3.2	CM
Latex 3100 Printer*	Latex			7	1,200x1,200	1,950	290	126	3.2	CM		
Latex 3500 Printer*	Latex			7	1,200x1,200	1,950	290	126	3.2	CM		
Scitex 17000 Corrugated Press	UV-Curable			4	CM	10,764	N/A	126	3.2	CM		
Scitex 15500 Corrugated Press	UV-Curable			6	CM	7,165	N/A	126	3.2	CM		

## KEY

Aqueous = AQ  
 C = Clear  
 CM = Contact Manufacturer  
 DIS = Disperse  
 DS = Dye-Sublimation  
 ES = Eco-Solvent  
 LS = Light-Solvent  
 MS = Mild-Solvent  
 N/A = Not Applicable  
 O = Optimizer  
 P = Primer

PIG = Pigment  
 REA = Reactive  
 SUB = Sublimation  
 V = Varnish  
 W = White  
 WB = Water-Based

*All printers are piezo drop on demand technology except when noted with \* which denotes thermal technology.*

**DO YOU HAVE A SUBLIMATION PRINTER?**

**THEN WHAT YOU NEED IS AN OIL TRANSFER MACHINE!**

**ESS 1700 PLUS**

**CALL NOW!**  
**+1 305 477 0555** [sales@electrosignsupply.com](mailto:sales@electrosignsupply.com)

Mimaki, Mutoh, Epson and Roland are registered trademarks.

# superwide CONSIDERATIONS

Digital Output considers devices over 95 inches in width grand format.

INFO#	Company/Website	Product Name	Ink Type	Ink Channels	Resolution (dpi)	Maximum Speed (sf/h)		Maximum Width		Pricing	
						Production	Quality	Inches	Meters		
125	HP Inc., <i>continued</i> hp.com/go/graphicarts	Scitex 11000 Industrial Press	UV-Curable		6	CM	6,997	N/A	126	3.2	CM
		Scitex 9000 Industrial Press	UV-Curable		6	CM	CM	N/A	126	3.2	CM
		Scitex FB7600 Industrial Press	UV-Curable		6	600	5,382	967	126	3.2	CM
		Scitex FB750 Industrial Printer	UV-Curable		6+W	1,200x600	915	107	98	2.5	CM
		PageWide Web Press T400S	WB PIG		4	1,200	125,000	N/A	108	2.7	CM
		PageWide Web Press T1100S	WB PIG		4	1,200	330,000	N/A	109.2	2.8	CM
126	Infiniti Fina aeromatrix.com	Fina 2500	Solvent		4	1,440	434	267	98	2.5	CM
		Fina 320SW	Solvent		4	1,200	540	111	126	3.2	CM
		Fina 330PQ	Solvent		4	1,440	452	170	126	3.2	CM
		Fina 330TX	WB SUB		4 or 6	600x1,600	1,800	450	125	3.175	CM
		Fina 2512 UV	UV		6+W	2,400	290	182	96	2.4	CM
		Economic Sky 330SW	Solvent		4 or 8	1,200	678	167	125	3.175	CM
		Fina 250PQ	Solvent		4	1,440	914	226	98	2.49	CM
127	Inkjet Technology Inc. inkjettechnology.net	TX-3200	DS/DIS Dye		6	1,200	1,300	CM	126	3.2	\$120,000
		R3200	UV Cure LED		6	1,200	1,300	CM	126	3.2	\$140,000
128	Media One mediaoneusa.com	ColorPainter H2-104s	MS		4 or 8	900x900	1,075	377	103.6	2.6	CM
		ColorPainter H2P-104s	MS		4	900x900	855	399	103.6	2.6	CM
		Dgen Teleios Grande	DS/PIG		4 or 8	1,200	1,938	484	130	3	CM
		Dgen Teleios XL2600	DS/PIG		4	1,200	1,291	484	102	3	CM
		Duo - 100	DS		CM	1,440	388	CM	100	2.5	\$19,000
		Duo - 130	DS		CM	1,440	388	CM	130	3	\$19,000
		M1 G5 Bullet	DS		4 or 6	1,200	1,938	484	130	3.2	CM
		Mimaki JV34-260	ES, DS		4	1,440	322	142	104	2.6	CM
		Mimaki JV5 Series	ES		6	1,440	668	272	129	3.2	CM
129	Mimaki USA, Inc. mimakiusa.com	UVJ55-320	UV		8	1,200	430	215	127.9	3.25	CM
		TS500P-3200	DS		8	1,080	753	538	129.9	3.3	CM
		JV5-320S	ES		6	1,440	668	272	129	3.2	CM
		JV5-320DS	DS		6	1,440	648	268	129	3.2	CM
130	MS Printing Solutions/Expand Systems expandsystems.com	MS JPKevo	REA, Acid, DIS, SUB, PIG		4 to 8	600x600	10,333	5,600	126	3.2	CM
		MS Lario	REA, Acid, DIS, SUB, PIG		4 to 8	600x600	65,000	50,000	126	3.2	CM
		JP4 320	SUB		4 to 8	600x600	3,000	1,700	126	3.2	CM
131	Mutoh America, Inc. mutoh.com	ValueJet 2638X	ES/AQ		8	1,440	1,168	CM	104	2.6	\$49,995
132	Novus Imaging, Inc. novusimaging.com	Synergia Hybrid/UV	UV		4+W, 6+W, 8+W, or 9+W	2,400	1,500	860	126	3.2	CM
		ULTRA UV LED Flatbed	UV LED		4+W, V	1,200	1,340	680	126	3.2	CM
133	OKI Data Americas okidata.com	ColorPainter H3-104s	ES		8	900x900	609	406	104	2.6	\$75,995
134	Paradigm Imaging Group paradigmimaging.com	SID Mercury 320	ES		4 or 6	720	807	312	126	3.2	\$39,500
		SID Mercury GS 320	ES		4 or 6	1,440	1,011	258	126	3.2	\$64,900
		SID Titan 320	ES		4 or 6	720	818	279	126	3.2	\$32,500
		SID Titan 320 GT	ES		6	720	914	409	126	3.2	\$39,900
		SID Titan 320 GS	ES		6	1,440	979	333	126	3.2	\$52,900
		SID Triton S 250	ES		4	2,880	387	193	98	2.5	\$26,900
		SID Triton S 320	ES		4	2,880	437	236	126	3.2	\$31,900
		SID Xpress	ES		4	720	2,818	753	126	3.2	\$63,500
135	PrinterEvolution, LLC printerevolution.com	Eos 100 DS	AQ DS		4	1,200	1,100	CM	100	3.5	CM
		Eos 126 DS	AQ DS		4	1,200	860	580	126	3.2	CM
		Evo33 DS 4C	AQ DS		4	1,200	860	580	126	3.2	CM
		Kayol26 DS	AQ DS		4	1,200	840	560	126	3.2	CM
		T Series	AQ DS		4	1,200	CM	CM	126	3.2	CM
		D Series	AQ DS		4	1,200	CM	CM	126	3.2	CM
136	Screen Americas screenamericas.com	Truepress Jet W3200UV Standard	UV-Curable		7	1,000	945	CM	125.9	3.2	CM
		Truepress Jet W3200UV HS	UV-Curable		7	1,000	1,615	CM	125.9	3.2	CM
137	Splash of Color, Inc. splashofcolor.com	ATPColor DFP-56EW G5	DIS Dye		6	600	1,280	CM	126	3.3	CM
		ATPColor DFP-1320 G4	DIS Dye		4	600	850	CM	126	3.3	CM
138	Stratojet USA stratojetusa.com	Shark FBR 2512	UV-Curable		4 to 8	1,440	1,800	700	96	2.5	\$118,000
		Shark EFB 2512	UV-Curable		4 to 8	1,220	600	360	96	2.5	\$55,999
		Shark II UV	UV-Curable		4 to 5	1,200	1,050	450	131	3.2	\$78,000
139	swissqprint swissqprint.com	Oryx 2	UV		9	1,080	215	194	98	2.5	starting at \$212,000
		Impala 2	UV		9	1,080	969	517	98	2.5	starting at \$248,000
		Nyala 2	UV		9	1,080	1,109	581	126	3.2	starting at \$303,000
140	Teckwin International LLC teckwin.com	TW 3200r	UV-Curable		4, 4+W, 6, or 6+W	CM	1,689	215	125	3.2	CM
		TW 5000r	UV-Curable		4, 4+W, 6, or 6+W	CM	2,098	592	196	5	CM
		TeckPro UV3200	UV-Curable		7	800x800	990	450	130	3.3	CM
		TS2513L	UV-Curable		6+2W	CM	CM	CM	96	2.5	CM
141	Vanguard Digital Printing Systems vanguarddigital.com	VR5D	UV LED Curable		10	1,800	720	450	99	2.5	CM
		VK300D	UV LED Curable		10	1,800	1,500	1,980	126	3.2	CM
		VT3200	DS		8	1,800	2,960	1,200	126	3.2	CM

KEY

Aqueous = AQ  
C = Clear  
CM = Contact Manufacturer  
DIS = Disperse  
DS = Dye-Sublimation  
ES = Eco-Solvent  
LS = Light-Solvent  
MS = Mild-Solvent  
N/A = Not Applicable  
O = Optimizer  
P = Primer

PIG = Pigment  
REA = Reactive  
SUB = Sublimation  
V = Varnish  
W = White  
WB = Water-Based

*All printers are piezo drop on demand technology except when noted with \* which denotes thermal technology.*